

INDEX

- absorbing barriers 48-50, 52, 70-71, 191-192, 214-215
- account risk 194
- accuracy 222, 240-247
 - card counting, 59, 60, 63
 - control chart, 257
 - correlation, 173
 - estimate future performance, 118
 - risk measurement, 218
 - simulation, 85, 103, 104, 189, 191
 - trade, 7, 9, 15-16, 19, 28, 33, 121-128, 137-162, 183, 187, 202, 219, 222, 235-242, 251-274
- AmiBroker 9, 36, 88, 170, 334-338
- Analyze_Distributions 325-326
- anchoring 113
- Anderson-Darling 82, 263-264
- anti-Martingale 95-96
- autocorrelation 237, 269
- backtest 7, 12, 17, 31, 75, 275, 277-278, 280, 291, 334
- Baldwin paper 59
- bankroll 47-48, 50, 52, 60-72, 91-95, 194
- bankruptcy 2, 6, 52, 67, 94-96, 107, 186, 275
- bar length 115-164
 - daily data bars 135-136
 - drawdown and 121
 - hourly data bars 141-145
 - intra-day 146-147
 - monthly data bars 121-126
 - multiple 116
 - profit and 121
- quarterly data bars 127-129
- risk and 118
- sweet spot 152-153
- weekly data bars 132-134
- yearly data bars 130-131
- barriers, absorbing 4, 48, 52, 64, 70-71, 107-109, 155, 186, 192, 197, 201, 214-215, 218
- Bayes, Thomas 268
- Bayesian statistics 229-230, 268-269
- bearish market 140-141
- behavioral economics 113
- behavioral finance 113
- benchmark 14-16, 32, 232, 249, 253, 261, 278
- Bernoulli process see binomial distribution
- beta 172-183
- betting systems 91-96
 - anti-Martingale 95-96
 - constant bet size 91-93
 - Martingale 93-95
- bias, optimistic 276-277
- binary distribution 188-189
- binomial distribution 243-248
- blackjack 53-72
 - bankroll analysis 60-71
 - basic strategy 55-59
 - card counting 59-60
 - expectancy 58-59
 - rules 54-55
 - trading similarity 71-72

- broken, is it? 31, 106, 183, 192, 221-272
- Brownian motion 51, 61
- Build Table routine 283-288
- bullish market 138-140
- business, trading as 2, 4, 6, 29-34, 68, 72, 106-107, 274, 281
- capital 107, 274
- capital asset pricing model (CAPM) 166
- CAR see compounding
- CAR / MDD 112
- casino 45-50, 54-72, 91, 280
 - Goldilock's 96-103
- central limit theorem 81-82, 169-170, 190, 223
- chi-square test 82, 251, 264-266, 352-353
- commissions 149-150
- commodity 16, 19-28, 31, 116, 157, 166-167, 186, 195-199, 204, 290, 293
- comparing means 248-255
- compounding 12, 18, 23, 31-32, 64, 75, 108-109, 125, 150-154, 170-171, 173, 176-183, 199, 271, 275, 290
- consistency 106, 219, 202, 257, 277
- control chart 256-260
- correlation 9, 16, 51, 144, 158-160, 166-170, 173, 183-184, 222, 234-247, 275, 334-336
 - product-moment 236-237
 - rank 237-238
- cumulative distribution function (CDF) 78-91, 108, 193, 240-242, 245-247, 261-262, 285-288, 290-318
 - see also inverse CDF
- curve fitting 39
- cycles 38
- daily data bars 135-136
- data
 - daily 135-141
 - fundamental 5
 - hourly 141-145
 - intra-day 143-147
 - large amount required 5
 - monthly 121-127
 - overnight 143, 147-149
 - quality 193-194
 - quarterly 127-129
 - weekly 132-134
 - yearly 130-132
- DD see drawdown
- decision
 - under uncertainty 106
- degrees of freedom 227, 249, 254, 265, 350-353
- Deming, W. Edwards 257
- deterministic 245
- development, trading system 35-41
- distributions 76-78, 97, 192-193, 204-209, 238-240, 243-248
- diversification 166
- drawdown (DD) 109-110, 121
 - buying opportunity 203, 274
 - close to close 126, 129-130, 134, 136, 139, 141, 145
 - intra-trade 120, 124, 127-136
 - maximum 112, 195
 - terminal wealth and 110
 - tolerance 107
- drunkard's walk 51-52
- Durban-Watson 269-270
- Eckert, Prespert 74
- efficient market 6, 166
- entries 38
- equity see terminal wealth relative

- Equity_to_BuildTable 322-324
- equity curve 6, 270-271
- errors
 - estimation 7
 - Type I and II 232-233
- ES vs SPY 160
- ETF see exchange traded funds
- events, independent 51
- Excel 4, 13, 88, 193, 226-228, 237, 247, 249, 252-254, 283-326, 337, 339-345
 - lookup 90-91
 - rand 88-91
- exchange traded funds (ETF) 6, 15-19, 38, 119-121, 149-150, 160-163, 166-184, 195-196, 198, 203-205, 235, 275, 334-336
- exits 38
- expectancy see expectation
- expectation 3, 43-52, 54, 57-60, 63-64, 66-72, 88, 91, 96-98, 170, 191-192, 201-203, 212, 219, 222, 274, 279-280
 - blackjack 58-59
 - must be positive 44-45, 274
 - negative, dealing with 47-50
 - roulette 45-50
- falling markets 138-140
- Fisher, Sir Ronald 229, 268
- fit, goodness 261-266
- fitness function see objective function
- forecast horizon 107
- FOREX 116
- fraction
 - betting 187
 - optimal 188
 - see also position sizing
- framing 113-114
- Frankel, Stanley 74
- freedom, degrees of 227
- frequency of trading 215-218
- frequentist statistics 229-230, 268-269
- fundamental data 5
- futures 196
- gambling 4, 6, 33, 43-72, 113, 186-187, 278-279
- game theory 113
- geometric return 188
- goal 2, 32-33, 186
- Goldilock's casino 96-102
- goodness of fit 82, 234-235, 261-266
- health, system 2, 8, 14-15, 31-33, 41, 104, 106, 177, 183, 192, 198, 202-203, 218-219, 221-272, 274, 278, 280-281
- holding period 5, 115-164
- horizon, forecast 107
- hourly data bars 141-145
- hypothesis
 - null 232
 - testing 230-267
- iid see independence
- in-sample (IS) 7, 31, 38-40, 193-194, 261, 277, 291
- independence 51, 223-224
 - see also correlation
 - see also serial dependence
- intended readers 5
- intra-day trades 146-147
- intraocular impact test 224, 260
- InvCDF_to_List 312
- InvCDF_to_Trades 317-318
- inverse CDF 84-86, 88, 90, 193, 240, 246-247, 290-318
 - roulette 88-89

- IS see in-sample
- issues 165-184
- Jones, Paul Tudor 186
- Jones, Ryan 200-201
- Kahneman, Daniel 113
- Kelly
 - formula 98-102, 186-190
 - John 6, 186, 191
- key topics 4
- Kolmogorov-Smirnov 82, 261-263
- kurtosis 226-227
- Laplace, Pierre-Simon 268
- large numbers, law of 81-82, 223
- leverage 166
 - frequency and 216-218
 - see also position sizing
- liquidity 3-5, 9, 31, 118, 151, 166-170, 177, 183-184, 275
- List_to_InvCDF 299-302
- List_to_pdf 305-308
- List_to_Trades 315-316
- losing trades 212-214
- MAE see maximum adverse excursion
- managed accounts ratio (MAR) 112
 - see also CAR
- margin 9, 14-15, 23, 120, 199, 328
- Martingale betting 93-96
- maturity of traders 3
- Mauchly, John 74
- maximum adverse excursion (MAE) 194-195
- mean regression 38
- means, comparison 248-255
- memoryless 223
- Mersenne Twister 88, 339-344
- metric 106
- Metropolis, Nicholas 74
- model
 - logic and rules 38
- Modify_pdf 309-310
- moments 224-227
- monitor results 41
- Monte Carlo simulation 72-104
 - applications 74-75
 - background 74
 - binary 189-191
 - casino 74
 - dice 79-82
 - example 79-82, 88-104
 - history 74
 - overview 3-4, 6-7, 9, 12-28, 48-50, 58, 122, 207, 247, 289-290, 330
 - position size 186
 - process 75
 - roulette 88-104
- monthly data bars 121-126
- Morgenstern, Oskar 113
- MTSP Simulation 283
- multiple trades per day 146-147
- noise 32, 37, 39, 186, 203, 276, 279
- normal distribution 81, 83-86, 228
- objective function 3, 37, 39-40, 104-114, 170, 176, 199-201, 204-209, 213
- OOS see out-of-sample
- opening price 116, 162-164
- optimize 3, 39-40, 98, 188, 199, 291
- options 187, 196-197
- orders
 - intra-bar 117-118
 - limit 118
- out-of-sample (OOS) 2-3, 6-7, 21, 31, 39-40, 104, 193-194, 205, 257-258, 261

- outlier 237, 250-251, 263
- over fitting 39
- overnight trades 143, 147-149, 157-163
- paper trades 7, 192-193
- patterns 38
- Patterson, Nick 279
- Patterson, Scott 279
- pdf_to_InvCDF 303-304
- pdf_to_List 311
- Pearson, E. S. 251
- perfect signals 170
- performance
 - estimating future 40
- periodicity 116-117, 224
- Please, N. W. 251
- poker 279
- population 222-223, 225, 248-251, 264
- portfolio 3, 166, 183-184, 187, 198, 275-276
- position sizing 2, 4, 13-16, 67, 98, 111, 126, 166-167, 173, 176, 180, 183-220, 271, 275, 278-280, 290-294, 319-321, 327-330
 - basic unit 196-197
 - comparison 204-214
 - constant 197-198
 - examples 204-213
 - expectancy and 45
 - fixed ratio 200, 204-214
 - fractional 23-28, 199-200, 204-214
 - generalized ratio 200-201
 - margin 199
 - monitoring 203
 - volatility weighted 198-199
- Posten, Harry 251
- practice 2, 40, 106, 235, 274
- probability 2, 4-6, 12-13, 18, 22-24, 45-52, 64-67, 97, 112-113, 178, 205, 222-228, 271, 287, 291
 - density function (pdf) 76-86, 109, 187
 - refresher 267-268
 - roulette 88-89
- probability mass function (pmf) see probability density function
- profit potential 121
- programming skills 274
- prospect theory 113
- p-value 232
- quantitative development 36-37
- quarterly data bars 127-129
- Rand Corporation 75
- random 7, 15, 32, 51, 61, 63, 75, 78-79, 84-91, 103-104, 119, 122, 169, 195, 207, 223, 231, 235-240, 245, 261, 277, 280, 296, 312-318, 324, 328, 339-344
- readers, intended 5
- realization 75
- relative strength 38
- Renaissance 279-280
- retire barrier 107
- return, geometric 188
- rising markets 138-140
- risk:
 - account 194
 - aversion 114
 - bar length 118-120
 - position size 194-195
 - ruin 64-66
 - tolerance 194
 - trading system 194-196
- robust 250-251
- roulette 43-52, 59, 88-104, 278-279
- ruin, risk of 64-66, 107

- runs test 238-240
- sample 223-224
- Schwager, Jack 186
- seasonality 38
- semi-deviation 202
- serial dependence 234-247
- Shannon, Claude 6, 186
- Shewhart, W. A. 256-257
- signal 37
- simulation
 - accuracy 103-104
 - Monte Carlo 73-104
 - setup 289-326
- skew 226
- slippage 151
- Snyder, Arnold 60
- Soros, George 202
- standard deviation 31, 57, 61-67, 81, 83, 97, 109, 188-189, 192, 195, 198, 202, 212-213, 226-227, 234, 244, 248-250, 257-258, 274, 313-314
- stationarity 7, 197
- statistics 38, 222-272, 279-280
 - Bayesian, 229-230, 268-269
 - descriptive, 222
 - frequentist, 229-230, 268
 - inferential, 222-223, 229-234
 - skills 274
- StdNormal_to_List 313-314
- straw broom charts 17, 21, 122-123, 207, 276
- success, requirements for 277-278
- surrogate 171-173
- sweet spot 152-156
- synchronization 32, 39, 103, 203, 274-278
- system, trading 30-31, 35-42
 - accuracy 202
 - desirable characteristics 201-202
 - development 35-41
 - entries 38
 - ETFs 15-19
 - examples 8-28
 - exits 38
 - fails 39
 - frequency 202-203
 - futures 19-28
 - model plus data 37, 276
 - monitoring 203
 - stocks 9-15
 - see also broken
- t-test 248-255
 - when to use 250
- technical analysis 37
- terminal wealth relative (TWR) 108-109, 125-126, 188-193
- test
 - Anderson-Darling 263-264
 - chi-square 264-266
 - choice of 234-235
 - Durban-Watson 269-270
 - Kolmogorov-Smirnov 261-263
 - runs 238-239
 - t 248-255
- Text_to_InvCDF 295-298
- Thaler, Richard 113
- Thorpe, Ed 6, 59, 186
- tradables 165-184
- trading account 30
- trading frequency 2, 5, 31, 107, 192, 215-217, 275-278
 - vs leverage 216-217
- trading system see system, trading
- Trades_to_Equity 319-321
- trend following 38
- Tversky, Amos 113
- TWR see terminal wealth relative
- Type I and II errors 232-233

Ulam, Stanislaw 74
uncertainty 2
utility theory 113-114
variance 226
Vince, Ralph 188, 199, 201
von Neumann, John 74, 113
walk forward 3, 7-8, 40-41, 203,
277-278
weekly data bars 132-134
Wilcoxon 256
Winsorize 251, 292-293
wizard of odds 56-59
yearly data bars 130-131

